

CATALOG

SINGLE AXLE TRAILERS

750 KG TRAILER

KG CAPASITY	750 KG
VOLUME	0,89m3
EMPTY WEIGT	500KG
BOTTOM THICKNESS	2MM
SIDE THICKNESS	1,5MM
CASE BOX DIMENSION	130x230x30cm
EXTENSION	-
TYRE	195/65 16
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION



1000 KG TRAILER

KG CAPASITY	1000KG
VOLUME	1,79M3
EMPTY WEIGT	600
BOTTOM THICKNESS	2mm
SIDE THICKNESS	1,5MM
CASE BOX DIMENSION	130x230x30cm
EXTENSION	30cm
TYRE	195/65 16
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION

1500 KG TRAILER

KG CAPASITY	1500 KG
VOLUME	2,25 M3
EMPTY WEIGT	700 KG
BOTTOM THICKNESS	2mm
SIDE THICKNESS	1,5MM
CASE BOX DIMENSION	150x250x30cm
EXTENSION	30cm
TYRE	10,80/15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION



2000 KG TRAILER	
KG CAPACITY	2000 KG
VOLUME	2,8 M3
EMPTY WEIGT	800 KG
BOTTOM THICKNESS	2mm
SIDE THICKNESS	1,5MM
CASE BOX DIMENSION	160x250x40cm
EXTENSION	30cm
TYRE	10,80/15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	180 EURO



3 TONES TRAILER	
KG CAPACITY	3000 KG
VOLUME	3,52 M3
EMPTY WEIGT	950 KG
BOTTOM THICKNESS	2,5MM
SIDE THICKNESS	2MM
CASE BOX DIMENSION	180X280X40CM
EXTENSION	30CM
TYRE	10,80/15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

4 TONES TRAILER	
KG CAPACITY	4000 KG
VOLUME	4,2 M3
EMPTY WEIGT	1140 KG
BOTTOM THICKNESS	3MM
SIDE THICKNESS	2MM
CASE BOX DIMENSION	190X300X40CM
EXTENSION	30CM
TYRE	10/75-15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

5 TONES TRAILER

KG CAPACITY	5000 KG
VOLUME	5,15 M3
EMPTY WEIGT	1350 KG
BOTTOM THICKNESS	3MM
SIDE THICKNESS	2,5MM
CASE BOX DIMENSION	200X350X50CM
EXTENSION	30CM
TYRE	12,5/80X15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

6 TONES TRAILER

KG CAPACITY	6000 KG
VOLUME	5,8 M3
EMPTY WEIGT	1600 KG
BOTTOM THICKNESS	4MM
SIDE THICKNESS	2,5MM
CASE BOX DIMENSION	180X280X40CM
EXTENSION	30CM
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE:	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

TT MODEL PRICE DIFFERENCE: +600 EURO

ITEMS	TT MODEL	STANDART MODEL
BOTTOM THICKNESS	4MM	3MM
COVER THICKNESS	3MM	2,5MM
TYRES	400/60	12,5/80
CHASSIE TYPE	BOX PROFILE	NPU PROFILE
TOW BAR:	ADJUSTABLE	FIXED



TWO AXLE TRAILERS

4 TONES TRAILER

KG CAPACITY	4000 KG
VOLUME	7,2 M3
EMPTY WEIGT	1900 KG
UNDER CHASSIE	STEEL I FORM
TOP CHASSIE	NPU100
CASE BOX DIMENSION	200X400X50
EXTENSION	40CM
TYRE	900/16
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

5 TONES TRAILER

KG CAPACITY	5000 KG
VOLUME	9 M3
EMPTY WEIGT	2140 KG
UNDER CHASSIE	STEEL I FORM
TOP CHASSIE	NPU100
CASE BOX DIMENSION	200X450X60
EXTENSION	30CM
TYRE	11,5/80-15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

6 TONES TRAILER

KG CAPACITY	6000 KG
VOLUME	9,45 M3
EMPTY WEIGT	2550 KG
UNDER CHASSIE	STEEL I FORM
TOP CHASSIE	NPU 120
CASE BOX DIMENSION	210X450X60
EXTENSION	40CM
TYRE	12,5/80-15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

8 TONES TRAILER

KG CAPACITY	8000 KG
VOLUME	10,08 M3
EMPTY WEIGT	2750 KG
UNDER CHASSIE	STEEL I FORM
TOP CHASSIE	NPU140
CASE BOX DIMENSION	210X480X60
EXTENSION	40CM
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

10 TONES TRAILER

KG CAPACITY	10000 KG
VOLUME	10,5 M3
EMPTY WEIGT	2850 KG
UNDER CHASSIE	STEEL I FORM
TOP CHASSIE	NPU120
CASE BOX DIMENSION	210X500X60
EXTENSION	40CM
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

TANDEM AXLE TRAILERS

8 TONES TANDEM TRAILER

KG CAPACITY	8000 KG
VOLUME	11,47 M3
EMPTY WEIGT	2350KG
UNDER CHASSIE	NPU180
TOP CHASSIE	NPU120
CASE BOX DIMENSION	210X420X50CM
EXTENSION	40CM+40CM
TYRE	12,5/80-15,3
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

10 TONES TANDEM TRAILER

KG CAPACITY	10000 KG
VOLUME	13,86 M3
EMPTY WEIGT	2700KG
UNDER CHASSIE	NPU200
TOP CHASSIE	NPU120
CASE BOX DIMENSION	220X450X60CM
EXTENSION	40CM+40CM
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

12 TONES TANDEM TRAILER

KG CAPACITY	12000 KG
VOLUME	14,78 M3
EMPTY WEIGT	2800KG
UNDER CHASSIE	NPU200
TOP CHASSIE	NPU140
CASE BOX DIMENSION	220X480X60CM
EXTENSION	40CM+40CM
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

10 TONS POOL TYPE (CARRIER) TRAILERS

KG CAPACITY	10000 KG
VOLUME	11,88 M3
EMPTY WEIGT	2800KG
UNDER CHASSIE	NPU200
TOP CHASSIE	NPU140
CASE BOX DIMENSION	220X450X120CM
EXTENSION	
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

12 TONS POOL TYPE (CARRIER) TRAILERS

KG CAPACITY	12000 KG
VOLUME	15,84 M3
EMPTY WEIGT	3000 KG
UNDER CHASSIE	NPU200
TOP CHASSIE	NPU140
CASE BOX DIMENSION	220X450X160CM
EXTENSION	
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

15 TONS POOL TYPE (CARRIER) TRAILERS

KG CAPACITY	15000 KG
VOLUME	17,82 M3
EMPTY WEIGT	3300KG
UNDER CHASSIE	NPU200
TOP CHASSIE	NPU140
CASE BOX DIMENSION	220X450X120CM
EXTENSION	
TYRE	400/60-15,5
PRICE	
HYDROLIC BRAKE:	OPTION
AIR BRAKE FOR 1 AXLE	OPTION
THREE SIDE TIPPING	OPTION
MECANIC SPRING	OPTION
ITHAL HINGLE	OPTION
TWO WAY SIDE OPEN	OPTION
PLASTIC COVER	OPTION



tanagro

BALE TRAILER

DIMENSION:	240X800--	PRICE:	6000	EURO
BOTTOM THICKNESS:	3mm	HID.BRAKE	96	EURO
WALL THICKNESS:	-	AIR BRAKE:	240	EURO
TYRE:	400/60X15,5			



MIXER VAGON PRICE LIST

1,5 M3 MIXER VAGON

Volume	1,5 m ³
Length (mm)	1800
Height (mm)	1900
width (mm)	1300
Empty weight (kg)	700
Max. loading capacity (kg)	400
Max. gross weight (kg)	1100
Bottom thickness (mm)	8
Sidewall thickness (mm)	3
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	400
Door height (mm)	500
Discharge height (mm)	580
PTO speed	540
Min. PTO horsepower	15
Standard tires	NO
Oil tank	OPTIONAL
Ladder with stand	NO
Rubber side extension	NO
Over flow ring	STANDARD
Discharge conveyor	NO
Loading bucket	NO
Weighing system	NO



OPTION	PRICE EURO
1.5 M3 STANDART MIXER VAGON	
7,5 KW ELEKTRIC MOTOR	

2 M3 MIXER VAGON

Volume	2 m ³
Length (mm)	1950
Height (mm)	1800
width (mm)	1350
Empty weight (kg)	600
Max. loading capacity (kg)	+600
Max. gross weight (kg)	1200
Bottom thickness (mm)	8
Sidewall thickness (mm)	3
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	620
Door height (mm)	640
Discharge height (mm)	530
PTO speed	540
Min. PTO horsepower	10
Standard tires	NO
Oil tank	NO
Ladder with stand	NO
Rubber side extension	NO
Over flow ring	
Discharge conveyor	NO
Loading bucket	NO
Weighing system	NO



OPTION	PRICE EURO
1.5 M3 STANDART MIXER VAGON	
7,5 KW ELEKTRIC MOTOR	

tanagro

2,5 M3 MIXER VAGON

Volume	2.5 m ³
Length (mm)	4000
Height (mm)	1870
width (mm)	1380
Empty weight (kg)	800
Max. loading capacity (kg)	+500
Max. gross weight (kg)	1300
Bottom thickness (mm)	8
Sidewall thickness (mm)	3
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	580
Door height (mm)	606
Discharge height (mm)	520
PTO speed	540
Min. PTO horsepower (Hp)	10
Standard tires	175 x 70 x 13
Oil tank	OPTIONAL
Ladder with stand	YES
Over flow ring	NO
Loading bucket	



OPTION	PRICE EURO
2,5M3 ECO MODEL	
TRAILER TYPE MIXER	
VAGON	
LOADER	
OIL PUMP GROUP	
7,5 KW ELEKTRIC MOTOR	

tanagro

3 M3 MIXER VAGON

Volume	3 m ³
Length (mm)	4300
Height (mm)	2400
width (mm)	1900
Empty weight (kg)	1250
Max. loading capacity (kg)	800
Max. gross weight (kg)	2050
Bottom thickness (mm)	10
Sidewall thickness (mm)	3
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	400
Door height (mm)	500
Discharge height (mm)	600
PTO speed	540
Min. PTO horsepower	40
Standard tires	10 x 80 x 12
Oil tank	OPTIONAL
Ladder with stand	STANDARD
Rubber side extension	STANDARD
Over flow ring	NO
Discharge conveyor	OPTIONAL
Loading bucket	STANDARD
Weighing system	OPTIONAL



OPTION	PRICE EURO
3M3 ECO MODEL	
TRAILER TYPE MIXER	
VAGON	
OIL PUMP GROUP	
CONVEYOR	
7,5 KW ELEKTRİK MOTORU	

tanagro

4 M3 MIXER VAGON

Volume	4 m ³
Length (mm)	4300
Height (mm)	2400
width (mm)	1900
Empty weight (kg)	1500
Max. loading capacity (kg)	800
Max. gross weight (kg)	2300
Bottom thickness (mm)	10
Sidewall thickness (mm)	3
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	400
Door height (mm)	500
Discharge height (mm)	600
PTO speed	540
Min. PTO horsepower	40
Standard tires	10 x 80 x 12
Oil tank	OPTIONAL
Ladder with stand	STANDARD
Rubber side extension	STANDARD
Over flow ring	NO
Discharge conveyor	OPTIONAL
Loading bucket	STANDARD
Weighing system	OPTIONAL



OPTION	PRICE EURO
4 M3 TRAILER TYPE MIXER VAGON (WITH LOADER)	
OIL PUMP GROUP	
CONVEYOR	
CONVEYOR FOR DOUBLE SIDE	
SCALE	

tanagro

5 M3 MIXER VAGON

Volume	5 m ³
Length (mm)	4700
Height (mm)	2400
width (mm)	2300
Empty weight (kg)	2700
Max. loading capacity (kg)	1500
Max. gross weight (kg)	4200
Bottom thickness (mm)	15
Sidewall thickness (mm)	5
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	540
Door height (mm)	600
Discharge height (mm)	700
PTO speed	540
Min. PTO horsepower	60
Standard tires	100 x 75 x 15,3
Oil tank	OPTIONAL
Ladder with stand	STANDARD
Rubber side extension	STANDARD
Over flow ring	NO
Discharge conveyor	OPTIONAL
Loading bucket	STANDARD
Weighing system	OPTIONAL



OPTION	PRICE EURO
5 M3 TRAILER TYPE MIXER VAGON (WITH LOADER)	
OIL PUMP GROUP	
CONVEYOR	
CONVEYOR 2 SIDE	
SCALE	

tanagro

6 M3 MIXER VAGON

Volume	6 m ³
Length (mm)	4440
Height (mm)	2750
width (mm)	2380
Empty weight (kg)	3000
Max. loading capacity (kg)	1800
Max. gross weight (kg)	4800
Bottom thickness (mm)	15
Sidewall thickness (mm)	5
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	400
Door height (mm)	540
Discharge height (mm)	720
PTO speed	540
Min. PTO horsepower	60
Standard tires	100 x 80 x 15,3
Oil tank	NO
Ladder with stand	STANDARD
Rubber side extension	STANDARD
Over flow ring	NO
Discharge conveyor	OPTIONAL
Loading bucket	STANDARD
Weighing system	OPTIONAL



OPTION	PRICE EURO
6 M3 TRAILER TYPE MIXER VAGON (WITH LOADER)	
OIL PUMP GROUP	
CONVEYOR	
CONVEYOR 2 SIDE	
SCALE	

8 M3 MIXER VAGON

Volume	8 m ³
Length (mm)	5900
Height (mm)	2900
width (mm)	2900
Empty weight (kg)	3400
Max. loading capacity (kg)	3200
Max. gross weight (kg)	6600
Bottom thickness (mm)	20
Sidewall thickness (mm)	6
No. of augers	1
No. of fixed knives	5
Counter cutters	2
Auger speed (rpm)	54
Door opening width (mm)	600
Door height (mm)	650
Discharge height (mm)	720
PTO speed	540
Min. PTO horsepower	70
Standard tires	400 x 60 x 15,5
Oil tank	OPTIONAL
Ladder with stand	STANDARD
Rubber side extension	STANDARD
Over flow ring	NO
Discharge conveyor	OPTIONAL
Loading bucket	STANDARD
Weighing system	OPTIONAL



OPTION	PRICE EURO
8 M3 TRAILER TYPE MIXER VAGON (WITH LOADER)	
OIL PUMP GROUP	
CONVEYOR	
CONVEYOR FOR DOUBLE SIDE	
SCALE	

tanagro

16 M3 MIXER VAGON

Volume	16 m ³
Length (mm)	7515
Height (mm)	2595
width (mm)	2240
Empty weight (kg)	6000
Max. loading capacity (kg)	5500
Max. gross weight (kg)	11500
Bottom thickness (mm)	20
Sidewall thickness (mm)	6
No. of augers	2
No. of fixed knives	10
Counter cutters	2
Auger speed (rpm)	56
Door opening width (mm)	710
Door height (mm)	680
Discharge height (mm)	760
PTO speed	540
Min. PTO horsepower	70
Standard tires	400 x 60 x 15,5
Oil tank	STANDARD
Ladder with stand	YES
Rubber side extension	
Over flow ring	OPTIONAL
Discharge conveyor	STANDARD
Loading bucket	OPTIONAL
Weighing system	



OPTION	PRICE EURO
16 M3 DOUBLE AUGER MIXER VAGON	
OIL PUMP GROUP	
COVEYOR	
CONVEYOR 2 SIDE	
SCALE	

THANKS FOR COOPERATION